



CRITICAL TO QUALITY CLASSIFICATION TABLE					
P=PERFORMANCE, F=FIT, A=ASSEMBLY X=IDENTIFIES APPLICABLE CLASSIFICATION(S) ◇=ENGINEERING AND/OR MANUFACTURING REQUIREMENT Ⓜ=REGULATORY REQUIREMENT-CONFORMANCE IS MANDATORY					
COMMENTS	DRAWING ZONE	◇	F	A	Ⓜ
ROHS	G1-H1				X


300-BO*9400 4-pol + 100-ES* + 100-EF*



300-BOQJ9400 4-pol + 100-ES* + 100-EF*



Note: Distance to earth or life parts are also valid for contactors with QJ coils



-Dimensions are shown in mm [inches]
-Dimensions are not intended to be used for manufacturing purposes

10004755464	PN-525758
	PN-525745
	PN-525746
10004755421	PN-525747
	PN-525748
	PN-525753
	PN-525754

WORKMANSHIP STANDARDS	FINISH	MATERIAL	MODEL/DIR NO.	PART/MMR NUMBER
ALL UNDIMENSIONED GEOMETRIES ARE CONTROLLED BY THE CAD MODEL. IN CASE OF DIMENSION DISCREPANCY, CAD MODEL OVERRIDES.			CONFIDENTIAL AND PROPRIETARY INFORMATION. THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF ROCKWELL AUTOMATION, INC. AND MAY NOT BE USED, COPIED OR DISCLOSED TO OTHERS, EXCEPT WITH THE AUTHORIZED WRITTEN PERMISSION OF ROCKWELL AUTOMATION, INC.	
FIRST ANGLE PROJECTION			DATE: 2020-08-27 SHEET 1 OF 1	
			SIZE DIR	VER
CREATED BY:uweber		CHANGED BY:uweber		A2 10005745145 00

MUST COMPLY WITH ROCKWELL AUTOMATION ENVIRONMENTAL SPECIFICATION 970-20-01