

CONFIDENTIAL - PROPRIETARY

THIS DRAWING AND SPECIFICATION, HEREIN, ARE THE PROPERTY OF ASEM SpA AND MUST NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION

NOTE:
- ACCURATE TRIM REQUESTED
- BENDING RADIUS: MINIMUM POSSIBLE
- PERPENDICULAR AND PARALLEL GEOMETRIC TOLERANCE: MEDIUM (Max 0.3 mm) ON ALL DIRECTIONS
- THE DIMENSIONS INCLUDING THE TREATMENT

>120	>30	>6	>3	SHORT SIDE
<120	<30	<6	<3	ANGULAR COMMON TOLERANCE
'10 '	'20 '	'30 '	'1 ±	

>4000	>2000	>1000	>315	>120	>30	>6	>3	SHORT SIDE
<4000	<2000	<1000	<315	<120	<30	<6	<3	ANGULAR COMMON TOLERANCE
'5	'4	'3	'2	'1.2	'0.8	'0.5	'0.3	
'3	'2	'1.2	'0.8	'0.5	'0.3	'0.1	'0.1	

>4000	>2000	>1000	>315	>120	>30	>6	>3	SHORT SIDE
<4000	<2000	<1000	<315	<120	<30	<6	<3	ANGULAR COMMON TOLERANCE
'5	'4	'3	'2	'1.2	'0.8	'0.5	'0.3	
'3	'2	'1.2	'0.8	'0.5	'0.3	'0.1	'0.1	

>4000	>2000	>1000	>315	>120	>30	>6	>3	SHORT SIDE
<4000	<2000	<1000	<315	<120	<30	<6	<3	ANGULAR COMMON TOLERANCE
'5	'4	'3	'2	'1.2	'0.8	'0.5	'0.3	
'3	'2	'1.2	'0.8	'0.5	'0.3	'0.1	'0.1	

>4000	>2000	>1000	>315	>120	>30	>6	>3	SHORT SIDE
<4000	<2000	<1000	<315	<120	<30	<6	<3	ANGULAR COMMON TOLERANCE
'5	'4	'3	'2	'1.2	'0.8	'0.5	'0.3	
'3	'2	'1.2	'0.8	'0.5	'0.3	'0.1	'0.1	

1

2

3

4

5

6

7

8

A



B

C






D

E

F



DETTAGLIO A



MATERIAL				THICKNESS	MODIFICATION N°		DATE	
TREATMENT				mm			SIGNATURE	
	DATE	22/06/2022	DESIGN	CHECKED	TOLERANCE	SCALE		
	SIGNATURE	Dereani			MEDIUM	1:5		
					NOT QUOTED BEVELS	2x45°	UNIT	SHEET OF
TITLE					NOT QUOTED RADIUS	R2	mm	7 of 9
DIMA VK3500 / MK200 21,5 TOP ARM RESISTIVO CON MANIGLIE								
DRAWING N° 00_d18201909					RELEASE	A	LEVEL	00
							SIZE	A3

1

2

3

4

5

6

7

8

A

B

C

D

E

F

CONFIDENTIAL - PROPRIETARY										*THIS DRAWING AND SPECIFICATION, HEREIN, ARE THE PROPERTY OF ASEM SpA AND MUST NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION*									
COMMON TOLERANCE	QUALITY	COARSE	MEDIUM	ACCURATE	SHORT SIDE	NOTE:													
						- ACCURATE TRIM REQUESTED													
						- BENDING RADIUS: MINIMUM POSSIBLE													
						- PERPENDICULAR AND PARALLEL GEOMETRIC TOLERANCE: MEDIUM (Max 0.3 mm) ON ALL DIRECTIONS													
						- THE DIMENSIONS INCLUDING THE TREATMENT													
						<6	<30	<6	<30	<120	>120								
								</											

COMMON TOLERANCE	QUALITY	<6	>6 ≤30	>30 ≤120	>120 ≤315	>315 ≤1000	>1000 ≤2000	>2000 ≤4000	>4000	SHORT SIDE	>3 ≤6	>6 ≤30	>30 ≤120	>120	NOTE: - ACCURATE TRIM REQUESTED - RADIUS MINIMUM POSSIBLE - PERPENDICULAR AND PARALLEL GEOMETRIC TOLERANCE: MEDIUM (Max 0.3 mm) ON ALL DIRECTIONS - THE DIMENSIONS INCLUDING THE TREATMENT
	COARSE	'0.2	'0.5	'0.8	'1.2	'2	'3	'4	'5		ANGULAR COMMON TOLERANCE	'1 ±	'30 ±	'20 ±	
COMMON TOLERANCE	MEDIUM	'0.1	'0.2	'0.3	'0.5	'0.8	'1.2	'2	'3						
	ACCURATE	'0.05	'0.1	'0.15	'0.2	'0.3	'0.5								

