



HP AT 208V	HP AT 460V	A	A1	B	C	D	E
HP AT 208V 3HP FRAME C	HP AT 460V 3 - 5HP FRAME C	24.00 [610]		39.13 [994]	18.53 [471]	22.50 [572]	37.50 [952]
5 - 10HP FRAME C	7.5 - 20HP FRAME C			30.26 [769]	18.53 [471]	22.50 [572]	37.50 [953]
15 - 20 HP FRAME D (SMALL)	25 - 40 HP FRAME D (SMALL)			36.34 [923]	15.88 [403]	28.50 [724]	37.50 [953]
25 - 30 HP FRAME D (LARGE)				43.34 [1101]	19.88 [505]	34.50 [876]	61.50 [1562]
	50 - 60 HP FRAME E (SMALL)			43.34 [1101]	19.88 [505]	34.50 [876]	61.50 [1562]
40 - 50 HP FRAME E (LARGE)	75 - 100 HP FRAME E (LARGE)			46.34 [1177]	19.88 [505]	34.50 [876]	73.50 [1867]
	125 - 150 HP FRAME F			54.40 [1382]	19.88 [505]	34.50 [876]	73.50 [1867]

KEY  
INCHES  
[MILLIMETERS]

DATE	BY	APPROVAL
	DESIGN REVIEW	
	FDR MANUFACTURING	
	AS SHIPPED	
	AS COMMISSIONED	

REV.	DATE	BY	ECN/CR. NO.
A	2/1/06	REH	
B	8/3/06	JCL	
C	8/15/08	ALB	

DR. BY	REH/ACI	CHK. BY	JCL/ACI	ENG. JFH/ACI	DWG. NO.	NEXT SH.	SH. NO.
DR.	11/14/05	CHK.	02/17/06	ENG.	11/14/06	95D01551 -	1

**Rockwell Automation**

THIS DRAWING IS THE PROPERTY OF ROCKWELL AUTOMATION, INC. OR ITS SUBSIDIARIES AND MAY NOT BE COPIED, USED OR DISCLOSED FOR ANY PURPOSE EXCEPT AS AUTHORIZED IN WRITING BY ROCKWELL AUTOMATION, INC.

TITLE  
DUTYLINE DRAWING - PF400, STYLE A & B  
3-50HP @ 208VAC, 3-150HP @ 460VAC  
NEMA 4