



NOTES:
 1. BOX CAN BE ROTATED IN 90° STEPS.
 2. BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.
 3. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR.

REVISED DASH 1450		CN33720	R/JW 12-21-2004	ML UNITS REVISIONS			DRAWN MH 01-23-1998 CHK ML 01-28-1998 APPD DD 01-28-1998 SCALE 3-16 REV P/F P/F	
5	ADDED DASH -1450 TO DASH TABLE	ML62168	HLB 10-04-2004	LC	INCHES			
4	ADDED FOOT HOLE QTY & MTG. TO TABLE	CN 37323	TAT 12-09-2003	ML	X ±.1			
3	UPDATED C' BOX GEOMETRY	CN 28424	DRS 01-09-2000	JOK	±.03		TITLE OUTLINE 320T FR. - TEFC	
2	UPDATED FRAME	CN 27588	DRS 03-30-1999	JOK	±.008		MATL.	
1	NEW DRAWING	MU18337	MH 01-28-1998	JOK	±.006		FINISH	
NO.			BY & DATE	CHK	ANG ±730"			
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK. ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED. THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT.								
FR.	C	B	BS	2F	2FF	FOOT HOLE QTY	MOUNTING	
324/6T	30.37	14.50	6.00	10.50	12.00	8	F1 OR F2	
CAD FILE ss300575							SIZE	DRAWING NO.
							B	SS300575
							PAGE	OF
							6	6