



NOTES:
 1. CONDUIT BOX CAN BE ROTATED IN 90° STEPS.
 2. CONDUIT BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.
 3. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR

UNREVISED	REVISED	REV.	INCHES	SCALE	DATE	BY	CHK	APP	DRW
			1/8	1=5	06-03-1998	TLB	ML	ML	TLB
8	REDRAWN IN AUTOCAD	TAT	06-29-2004	ML	X	±.1			
7	ADDED F2 VIEW	HLB	12-29-2001	ML	JOK	±.03			
6	REVISED CONDUIT BOX	MRB	09-09-1999	ML	JOK	±.008			
5	REDRAWN ON CADD	TLB	06-03-1998	ML	JOK	±.006			
NO.	REVISION	BY	DATE	CHK	ANG	±73°			
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK. ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED. THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT.									
FRAME	B	C	2F	BS					
364TS	13.25	29.38	11.25	5.62					
SIZE	B	WA	SS508654	REV. OF					
8									

Rockwell Automation

TITLE OUTLINE
 360TS FR. - TEFC - TAPPED LEAD HOLE

DRAWN TLB 06-03-1998
 CHK FJ 06-03-1998
 APPD ML 06-03-1998
 SCALE 1=5
 REV FJF
 FINISH
 CAD FILE ss508654